




Optional Presser feet

	<p style="text-align: center; color: red;">#SA107 Walking Foot</p> <p>For improved results when sewing or quilting on fabrics which tend to stick to the bottom of a presser foot or sheer fabrics. A walking foot assists in keeping the lines matched on multiple layers of plaid fabrics. Compatible with PS-1000 to PS-2100, XL6000 series</p>	\$49.95
	<p style="text-align: center; color: red;">#SA108 Straight Stitch Foot</p> <p>Used for straight stitching on lightweight or sheer fabrics. (Snap-on foot) Compatible with PE-300S/PE-400D, PS-1000 to PS-2100, LS, VX, XL, XR series (5mm stitch width, vertical and horizontal bobbin sewing machines)</p>	\$17.95
	<p style="text-align: center; color: red;">#SA109 Binding Foot</p> <p>With a tape guide, this makes attractive binding similar to pre-folded or unfolded bias tape. Compatible with all our home-use sewing machines.</p>	\$ 21.95
	<p style="text-align: center; color: red;">#SA110 Cording Foot 3 groove</p> <p>The foot works perfectly for attaching three cords or threads through grooves on clothing, household linens, etc. Compatible with PS-2200 to 2500, PC-2800 to 8500, ULT series (7mm horizontal bobbin sewing machine)</p>	\$ 13.95






	<p>#SA114 Non Stick Foot For fabrics that tend to stick to the bottom of the foot such as leather, vinyl etc.(Snap-on foot)Compatible with PE-300S/PE-400D, XL6000, PS, PC and ULT series (Horizontal bobbin sewing machines)</p>	<p>\$ 21.95</p>
	<p>#SA120 Gathering Foot To gather one or two layers of lightweight fabric. *The low shank adapter is required for PC-6500/8200/8500 and ULT series.Compatible with All our home-use sewing machines</p>	<p>\$ 17.95</p>
	<p>#SA122 Non Stick Foot For fabrics that tend to stick to the bottom of the foot such as leather, vinyl etc. (Snap-on foot) Compatible with LS, VX, XL except 6000 series, XR series (Vertical bobbin sewing machines)</p>	<p>\$21.95</p>
	<p>#SA125 Quilting Foot For quilt and patchwork piecing with accurate seam allowance, 6.4mm (1/4") or 3.2mm (1/8"). Compatible with all our home-use sewing machines.</p>	<p>\$ 11.95</p>
	<p>#SA126 Narrow Hemming Foot This foot is designed to automatically fold and sew a hem in lightweight fabrics. It makes a narrow rolled hem easily.(Snap-on foot) Compatible with PS-2200 to 2500, PC-2800 to 8500 and ULT series (7mm stitch width, horizontal bobbin sewing machines)</p>	<p>\$ 17.95</p>

	<p>#SA127 Narrow Hemming Foot This foot is designed to automatically fold and sew a hem in lightweight fabrics. It makes a narrow rolled hem easily. (Snap on foot) Compatible with LS, VX, XL, XR series, PE-300S/PE-400D, PS-1000 to 2100 (5mm stitch width, horizontal and vertical bobbin sewing machines)</p>	<p>\$17.95</p>
	<p>#SA128 Concealed Zipper Foot For quick and easy installation of concealed zippers. (Snap on foot) Compatible with all home sewing machines.</p>	<p>\$ 17.95</p>
	<p>#SA129 Quilting Foot Spring action foot for darning, quilting or free-motion embroidery. It's transparency gives an excellent view of your work. *The adapter for low shank attachment is required for PC2800,8500 and ULT series. Compatible with PS, PC and ULT series.</p>	<p>\$ 17.95</p>
	<p>#SA130 Low shank adaptor The low shank adaptor is used for attaching a screw-on presser foot such as the gathering foot to a sewing machine with high shank. Compatible with PC-8200</p>	<p>\$16.95</p>
	<p>#SA131 Low shank adaptor The low shank adaptor is used for attaching a screw-on presser foot such as the gathering foot to a sewing machine with high shank. Compatible with PC-6500, PC-8500 and ULT series</p>	<p>\$ 16.95</p>

	<p>#SA132 Quilting Guide Attaches to walking foot, acts as guide to set precise distances from one point to another. This quilting guide may also be inserted in the hole on the back of the snap-on presser foot ankle. Compatible with All our home-use sewing machines</p>	<p>\$ 8.95</p>
	<p>#SA133 Blindstitch Foot Adjustable for creating blind hems on a variety of fabrics. This foot is also handy for sewing fabric edges with a fixed seam allowance.(Snap-on foot) *The presser foot holder (XA4789001) is required for PC-6500, PC-8200 and 8500. Compatible with PS-2200 to 2500, PC-2800 to 8500, ULT series (7mm stitch width, horizontal bobbin sewing machines)</p>	<p>\$ 16.95</p>
	<p>#SA134 Blindstitch Foot Adjustable for creating blind hems on a variety of fabrics. This foot is also handy for sewing fabric edges with a fixed seam allowance.(Snap-on foot) Compatible with PS-1000 to PS-2100, PE-300S/PE-400D LS, VX, XL, XR series</p>	<p>\$16.95</p>
	<p>#SA135 Overlock Foot This foot makes a finished edge with any overcasting stitch to prevent fabric edges from fraying. (Snap-on foot) Compatible with LS, VX, XL, XR series, PE-300S/PE-400D, PS-1000 to 2100 (5mm stitch width, horizontal and vertical bobbin sewing machines)</p>	<p>\$16.95</p>
	<p>#SA139 Walking Foot Walking Foot attachment for Model PQ1300, PQ1500</p>	






	<p>#SA140 Walking Foot</p> <p>For improved results when sewing or quilting on fabrics which tend to stick to the bottom of a presser foot or sheer fabrics that are difficult to control. A walking foot assists in keeping the lines matched on multiple layers of plaid fabrics. *The adapter for low shank attachments is required on PC-6500, PC-8200, PC-8500 and ULT series. Compatible with PS-2200 to PS-2500, PC-2800 to PC-8500 and ULT series (7mm horizontal bobbin sewing machine)</p>	<p>\$123.95</p>
	<p>#SA141 Braiding Foot</p> <p>This foot guides braiding for embellishment. It is used with a braid up to 5mm in width and attaches it to the fabric as it sews. Compatible with all our home-use sewing machines.</p>	<p>\$ 21.95</p>
	<p>#SA142 Fringe Foot</p> <p>The foot creates dimensional thread loops on the top surface of the fabric. The loops can also be fringed by sewing with straight stitch along the root of loop and cutting bobbin thread. Compatible with all our home-use sewing machines.</p>	<p>\$ 19.95</p>
	<p>#SA143 Ruffling Foot</p> <p>This attachment easily makes pleats or ruffling in light weight fabrics. Use this especially for making your home deco more gorgeous. Compatible with PC and ULT series</p>	<p>\$ 79.95</p>

	<p>#SA144 Clear View Foot For optimum visibility while sewing. It is ideal for topstitching, decorative stitches, patchwork piecing, etc. Compatible with LS, VX, XL except 6000 series, XR series (5mm stitch width, vertical bobbin sewing machines)</p>	
	<p>#SA145 Clear View Foot For optimum visibility while sewing. It is ideal for topstitching, decorative stitches, patchwork piecing, etc. (Snap-on foot) Compatible with XL6000 series, PS-1000 to 2500, PE-300S/PE-400D, PC-2800 to 8500, ULT series (Horizontal bobbin sewing machines)</p>	<p>\$ 15.95</p>
	<p>#SA146 Open Toe Foot This foot is perfectly fitted to appliqueing, matching pattern and etc. The open toe foot gives you greater visibility while sewing. Compatible with LS, VX, XL except 6000 series, XR series (Vertical bobbin sewing machine)</p>	<p>\$21.95</p>
	<p>#SA147 Open Toe Foot This foot is perfectly fitted to appliqueing, matching pattern and etc. The open toe foot gives you greater visibility while sewing. Compatible with PE-300/PE-400D, XL6000, PS, PC and ULT series (Horizontal bobbin sewing machine)</p>	<p>\$ 21.95</p>
	<p>#SA148 Cording Foot 3 groove The foot works perfectly for attaching three cords or threads through grooves on clothing, household linens, etc. Compatible with LS, VX, XL, XR series PE-300S and PE-400D, PS-1000 to 2100 (5mm vertical and horizontal bobbins sewing machines)</p>	<p>\$12.95</p>

	<p>#SA149 Picot Foot Handy for use when sewing special fabric edges like frills. For shell effect when hemming in zigzag stitch. Compatible with PE-300S/PE-400D, PS-1000 to PS-2100, LS, VX, XL, XR series (5mm vertical and horizontal bobbin sewing machines)</p>	<p>\$12.95</p>
	<p>#SA150 Pearls & Sequins Foot This foot is suitable for embellishing clothing with beads using threads with a diameter of up to 4mm. It is handy to attach beads or sequins to neckline, etc. Compatible with PS-2200 to PS-2500, PC-2800 to PC-8500, ULT series (7mm horizontal bobbin sewing machine)</p>	<p>\$ 12.95</p>
	<p>#SA157 Cording Foot This foot makes embellishment edges, cuffs, collars, etc with 5 cords. This foot works with zigzag or decorative stitch mode. Stitch over all cords. Compatible with PS-200 to 2500, PC2800 to 8500, and ULT series (7mm horizontal bobbin sewing machines)</p>	<p>\$ 14.95</p>
	<p>#SA158 Cording Foot This foot makes embellishment edges, cuffs, collars, etc with 7 cords. This foot works with zigzag or decorative stitch mode. Stitch over all cords. Compatible with PS-2200 to 2500, PC-2800 to 8500, and ULT series (7mm horizontal bobbin sewing machines)</p>	<p>\$ 14.95</p>
	<p>#SA160 Stitch Guide Foot This ruled guide foot allows you to maintain a fixed width from the edge of the cloth. (Snap-on foot) Compatible with XL6000 series, PE-300S/PE-400D, PS-1000 to PS-2500, PC-2800 to PC-8500, NX series, CS8075 and 8150, ULT series (Horizontal bobbin sewing machines)</p>	<p>\$ 9.95</p>

	<p>#SA161 Adj Zipper & Piping Foot Adjustable for positioning the presser foot on either the left or right side of the needle. This foot makes it easy to attach zippers or piping. *The low shank adapter is required for PC-6500, PC-8200, PC-8500 and ULT series. Compatible with all home sewing machines</p>	<p>\$ 15.95</p>
	<p>#SA162 Pintuck Foot The pintuck foot, in combination with a twin needle, helps you to make perfect pin tucks as well as to sew corded pin tucks on shirts, blouses and many home decorating projects easily. Compatible with LS, VX, XL except 6000 series, XR series (5mm vertical bobbin sewing machine)</p>	<p>\$11.95</p>
	<p>#SA164 Picot Foot Handy for use when sewing special fabric edges like frills. For shell effect when hemming in zigzag stitch. Compatible with PS-2200 to PS-2500, PC-2800 to PC-8500, ULT series (7mm horizontal bobbin sewing machine)</p>	<p>\$ 12.95</p>
	<p>#SA165 Quilting Foot This presser foot is useful for darning and free-motion machine quilting Compatible with PE-300S/PE-400D</p>	
	<p>#SA167 Straight Stitch Foot This is used for consistent straight stitching on lightweight or sheer fabrics. Compatible with PS-2200 to PS-2500, PC-2800 to PC-8500, NX-200 to 600, CS8075 and 8150, ULT series (7mm horizontal bobbin sewing machine)</p>	<p>\$ 17.95</p>

	<p>#SA169 Walking Foot For improved results when sewing or quilting on fabrics which tend to stick to the bottom of a presser foot or sheer fabrics that are difficult to control. A walking foot assists in keeping the lines matched on multiple layers of plaid fabrics. Compatible with XL3000 and 5000 series, XR37/38</p>	<p>\$35.95</p>
	<p>#SA170 Spring Action Guide These guides are useful for sewing pintucks and for finishing seams by topsitching seam allowances folded over to one side. Compatible with PQ-1300, 1500 and 1500S</p>	<p>\$74.95</p>
	<p>#SA171 Gathering Foot This presser foot is useful for making gathers in lace or frills and for easing sleeve caps. Compatible with PQ-1300, 1500 and 1500S</p>	<p>\$15.95</p>
	<p>#SA172 Narrow Foot This presser foot is useful for sewing on light weight and fine fabrics, sewing in very tight areas or attaching zippers. Compatible with PQ-1300, 1500 and 1500S</p>	<p>\$15.95</p>
	<p>#SA173 Heavyweight Foot This presser foot can be used to sew canvas, fake fur lace or quilted fabric beautifully without applying excessive pressure to the fabric. Compatible with PQ-1300, 1500 and 1500S</p>	<p>\$15.95</p>

	<p>#SA174 Pintuck Foot With 7 grooves this foot, in combination with a twin needle, helps you to make perfect pin tucks as well as to sew corded pin tinks on shirts, blouses and many home decorating projects easily. Compatible with ULT series (7mm horizontal bobbin sewing machine)</p>	<p>\$ 9.95</p>
	<p>#SA175 Zigzag Foot This zigzag foot can be used for utility stitches from straight stitch to zigzag stitches, especially useful to promote perfect feed at the beginning of sewing heavy weight fabrics. Compatible with ULT series, PC6500, 8200, 8500 and 8500D (7mm horizontal bobbin embroidery and sewing machines)</p>	<p>\$11.95</p>
	<p>#SA176 Zigzag Foot This zigzag foot can be used for utility stitches from straight stitch to zigzag stitches, especially useful to promote perfect feed at the beginning of sewing heavy weight fabrics. Compatible with NX-200 to 600, CS8075 and 8150, PS-2200 to PS-2500 (7mm horizontal bobbin sewing machines)</p>	<p>\$ 11.95</p>
	<p>#SA177 Side cutter This Side cutter trims and facilitates the machine to overcast the fabric edge as it seams. (Snap-on foot) Compatible with ULT series, NX-200, 400 and 600, CS8075 and 8150 (7mm horizontal bobbin sewing machines)</p>	
	<p>#SA184 Edge Joining Foot Edge Joining Foot for precise and easy joining of fabrics, even sheers and difficult fabrics.</p>	<p>\$17.99</p>

	<p>#SA185 1/4" Quilting Foot Quilting Foot perfect seams with this new 1/4" Quilting Foot with convenient fabric guide.</p>	<p>\$17.99</p>
	<p>#SA210 Piping Foot To attach piping between two layers of fabric. Compatible with PL-1050, PL-1500, PL-1600, PL-2000 and 1034D</p>	
	<p>#SA212 Taping Foot To attach tapes and elastic to stretch fabrics. Compatible with PL-1050, PL-1500, PL-1600, PL-2000 and 1034D</p>	
	<p>#SA213 Gathering Foot For gathering and sewing in one operation. Compatible with PL-1050, PL-1500, PL-1600, PL-2000 and 1034D</p>	
	<p>#XC5269001 Q Plus Foot Quilting Foot</p>	

